



กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

BUREAU OF DRUG AND NARCOTIC
DEPARTMENT OF MEDICAL SCIENCES
MINISTRY OF PUBLIC HEALTH
NONTHABURI 11000, THAILAND
TEL. (662) 9510000 ext. 99162 FAX. (662) 5805106

Certificate of Analysis

11-Nor-delta 9-tetrahydrocannabinol-9-carboxylic acid

Internal quality control

Control No. IQC THCA25 1/69

Description : A transparent pale yellow solution

Product : Internal quality control for Test Kit


Concentration : 24 ng/ml of 11-Nor-delta 9-tetrahydrocannabinol-9-carboxylic acid, determined by GC-MS

Storage : Keep container tightly closed at temperature 2-8 °C

Preparation Date : 13 January 2026


Expiration Date : 12 July 2026

Issued Date : 21 January 2026

QC Analyzed by.....

(Ms.Orawan Simpan)

Medical Scientist, Practitioner Level

Approved by.....

(Ms.Angkana Kritpitakngoen)

Medical Scientist, Senior Professional Level



กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

BUREAU OF DRUG AND NARCOTIC
DEPARTMENT OF MEDICAL SCIENCES
MINISTRY OF PUBLIC HEALTH
NONTHABURI 11000, THAILAND
TEL. (662) 9510000 ext. 99162 FAX. (662) 5805106

Certificate of Analysis

11-Nor-delta 9-tetrahydrocannabinol-9-carboxylic acid

Internal quality control

Control No. IQC THCA75 1/69

Description : A transparent pale yellow solution

Product : Internal quality control for Test Kit

Concentration : 77 ng/ml of 11-Nor-delta 9-tetrahydrocannabinol-9-carboxylic acid, determined by GC-MS

Storage : Keep container tightly closed at temperature 2-8 °C

Preparation Date : 13 January 2026

Expiration Date : 12 July 2026

Issued Date : 21 January 2026

QC Analyzed by.....*Orwan*.....

(Ms.Orawan Simpan)

Medical Scientist, Practitioner Level

Approved by.....*Angkana*.....

(Ms.Angkana Kritpitakngoen)

Medical Scientist, Senior Professional Level